

A New Chapter in the History of Windows...




What is Composit Wood®?

CompositWood is made from a proprietary mix of specialty polymer and acrylic resins, creating a better than wood "engineered composite", super tough, solid core material. A permanent surface technology called "SuperCapTM" is then fused to the core materials during the extrusion process.



CompositWood is simply the best window you can buy. It provides the warmth of a finely milled wood window without the problems associated with wood.

Revolutionary
Beautiful
Efficient
Timeless



EXCLUSIVE SuperCap™ SURFACE TECHNOLOGY

SuperCap, a permanent pre-finished surface has years of extreme outdoor sun exposure testing in Florida and Arizona. A virtual lifetime of no-maintenance benefits, SuperCap keeps windows and doors looking good over time. The cap brings protective ingredients to the profile surface, where they provide superior weathering and thermal performance.

LIGHT-LIFT[™] SP (Superior Performance) 3rd Generation Double Hung Window Sash Balance System

- · Smooth and quiet operation sashes raise & lower with ease.
- · Enables full egress without limiting sash travel.
- Interlocking pivot bar provides a higher structural performance rating.
- · Tilt-in sash for easy cleaning. Lifts out for easy sash removal.
- · High quality stainless steel coils won't rot and last a lifetime.
- The same high quality coils are used in the aerospace and military industries for counter-balance on Mars Rover Curiosity, missiles, tanks and submarines.

 "Ufou've got to lift it to believe it!"









ULTIMATE SERIES COMPOSITWOOD STANDARD FEATURES

CompositWood Features	Replacement Window	New Construction Window
Classic wood window slope sill design adds real wood window elegance & old world craftsmanship.	✓	✓
More energy efficient - lowest thermal conductivity (K-Value)	✓	✓
Solid core frame & sash save energy, reduce condensation and minimize mold and mildew growth.	✓	✓
Integral offset balance pockets and multiple weatherstripped paths designed to reduce air infiltration.	✓	✓
Light Lift™ SP balance for easy opening and closing with high weight carrying capacity on Double Hungs.	✓	✓
Double Hung features tilt-in sashes for easy cleaning from inside the home. Easy to clean and maintain.	✓	✓
Impervious to moisture. Rot and insect free.	✓	✓
Superior screw retention.	✓	✓
InFusion welded master frame.	✓	
InFusion welded head and gasketed sill combination.		\checkmark
Frames & sashes are made from a proprietary mix of specialty polymer and acrylic resins, creating an engineered wood.	✓	✓
Standard 3 1/4" replacement jamb depth.	✓	
Standard 4 9/16" jamb depth with optional 6 9/16" and custom jamb depths for new construction applications.		✓
Mortis & tenon sash joinery.	✓	✓
Interior window covered with more visible real wood (optional Eastern Pine) than clad wood windows.	✓	✓
Interior is finished in SuperCap white or real Eastern Pine which can be painted or stained to match any decor.	✓	✓
SuperCap provides a permanent finished surface that is 400% thicker and 12X harder than paint.	✓	✓
Both full and half screens available.	✓	✓
Premium performance hardware ensures easy cleaning and operation.	✓	✓
Exclusively designed pre-drilled folding nail fin for new construction applications.		✓
Many SuperCap finished exterior frame accessories available for Ultimate Series.		✓
Limited Lifetime Transferrable Warranty.	✓	✓



DOUBLE HUNG

Ultimate Series Composit Wood Window Styles



Double Hung Configuration Possibilities >>




Twin Double Hung



Slider Configuration Possibilities >>

Double Hungs with Picture





HORIZONTAL SLIDER



CASEMENT









Casement and Awning Configuration Possibilities >>









BOW/BAY



AWNING









Awnings
















Picture Bay with Casements

Picture Bay with Awnings

PICTURE WINDOWS Choose from 3 Picture Window designs!



NARROW FRAME DIRECT SET DESIGN



PICTURE WINDOW WITH CASEMENT SASH



PICTURE WINDOW WITH DOUBLE HUNG SASH*

Picture Window Configuration Possibilities >>



Twin Picture















COMPOSITWOOD®

Glass Choices SUPERIOR THERMAL VALUES

CompositWood Window ratings far exceed ENERGY STAR® requirements.





STANDARD DUAL ENERGY SAVER*

- Double Pane: Low E + Clear; Argon
- U-factor:
 - .25 Double Hung
 - .25 Slider
 - .23 Casement, Awning
 - .21 Double Hung w/Surface 4 Low E Glass
 - .21 Slider w/Surface 4 Low E Glass
 - .20 Casement, Awning w/Surface 4 Low E Glass*
 - .25 Direct Set Picture Window
 - .20 Direct Set Picture Window w/ Surface 4 Low E Glass*

HeatGuard 362 Glass Packages available for Southern climate requirements.




TRIPLE FUEL SAVER™+

- Triple Pane: Low E + Low E + Clear; Argon + Argon
- U-factor:
 - .19 Double Hung, Slider *
 - .18 Casement, Awning *
 - .18 Direct Set Picture Window*



A new distinction that recognizes products that deliver cutting edge energy efficiency along with the latest technological innovation. It is an award that truly represents the very best of ENERGY STAR. Many CompositWood windows earn the coveted ENERGY STAR Most Efficient mark for 2019.




TRIPLE FUEL SAVER PLUS & MAX+

TRIPLE FUEL SAVER PLUS TRIPLE FUEL SAVER MAX

- Triple Pane: Low E + Low E+ Clear; Argon + Argon + Krypton
- U-factor:
 - .17 Double Hung, Slider *
 - .16 Casement, Awning *
 - .15 Direct Set Picture Window*
- Triple Pane: Low E + Low E+ Clear; Krypton + Krypton
- U-factor:
 - .15 Double Hung *
 - .16 Slider
 - .14 Casement, Awning *
 - .13 Direct Set Picture Window*

*All values based on 2.3 mm glass pane thickness. Results may vary with different glass thicknesses, tempered glass, sash/frame reinforcement, grid applications and other specialty glass types.




EXTREME ENERGY EFFICIENCY

With high thermal performance values, CompositWood[®] windows far exceed ENERGY STAR criteria. Our products are NFRC certified, then independently 3rd party verified to further ensure they meet or exceed industry structural and energy efficiency standards.

CompositWood windows can more than DOUBLE the ENERGY STAR U-factor insulating efficiency value of the most extreme northern climate, and can exceed by almost THREE TIMES the ENERGY STAR U-factor window insulating qualification for the southern climate zone.

Lower is Better ↓



 $^{^{\}mathsf{I}}$ U-FACTOR Measures the rate of window heat transfer. The lower the U Value, the better the window insulates.

ENERGY STAR Qualification Criteria for Residential Windows*




Climate Zone	U- Factor ¹	SHGC ²	
Northern*	≤ 0.27	Any	Prescriptive
	= 0.28	≥ 0.32	Factorial
	= 0.29	≥ 0.37	Equivalent Energy Performance
	= 0.30	≥ 0.42	
North- Central	≤ 0.30	≤ 0.40	
South- Central	≤ 0.30	≤ 0.25	
Southern	≤ 0.40	≤ 0.25	

^{*} Based on 2019 ENERGY STAR Criteria

² SHGC Measures thow much solar radiation passes through your window and is released as heat into your home.





DURALITE™ SPACER

Our Duralite Spacer System insulates the edge of glass better than a solid foam or metal spacer. It is hollow, trapping air for maximum thermal performance. The patented air pocket design creates the lowest U-value available.

Ultimate Series CompositWood windows have been designated as "Envirosealed" windows through the use of the Duralite Spacer System technology, which saves energy, saves money and helps to save the environment.







Color Choices

Inside, select solid SuperCap® white or CompositWood's Eastern pine veneer that can be stained or painted to suit your needs. Outside, choose from SuperCap white (white interior); 14 in-stock factory painted colors and virtually unlimited custom matched colors (15-year paint warranty).

STOCK FINISHES





PAINT FINISHES



14 STOCK EXTERIOR COLORS



15-Year Paint Warranty!

CUSTOM PAINT FINISHES

Unlimited Color Match Exteriors Custom blended colors available to suit your needs, limited only by your imagination!





COMPOSITWOOD® Hardware Choices

BUILT TOUGH

All CompositWood windows utilize only the strongest, most attractive, easiest operating and highest performing hardware available in today's market.




^{*} Due to printing limitations, all colors and finishes shown are approximate.

COMPOSITWOOD®

Grid Choices

(SDLs)

Grids add a distinctive look to your home's curb appeal. Grids Between Glass (GBGs) afford easy cleaning. Simulated Divided Lites (SDLs) are permanently adhered to the glass surfaces inside and out and are designed to look like a true multi-paned window.





ULTIMATE SERIES EXTERIOR NEW CONSTRUCTION FRAME ACCESSORIES*



2" Extension Jamb



Traditional Decorative Curbing



Historical Large Sill Nose



31/2" Flat Casing





Curbing
Traditional Sill Nose

Elegantly designed
SuperCap™ finished
frame accessories
are factory
processed, snap-in
applied for fast and
easy installation.
CompositWood
accessories are
engineered to last a
lifetime.





Custom sized factory applied wood and composite interior extension jambs available.

Composit Wood Model 9400 Rolling Patio & Swing Doors

Create an inviting entry to your home's patio or deck with the beautiful craftsmanship of Ultimate Series CompositWood® Architectural Series Rolling Patio doors and Swing doors. Made from the same premium materials as our CompositWood windows, these attractive doors have a wood door design, industry leading energy efficiency and the same high level of quality you expect from Interstate without the upkeep of an all wood product.

ROLLING PATIO DOOR STANDARD FEATURES

- Deluxe handset with keylock
- · Two-Point stainless steel locking mechanism
- Extruded heavy duty aluminum rolling screen with recessed auto lock
- Precision bearing stainless steel rollers and stainless steel door latch
- · Composite/aluminum sill with full thermal break
- · 4 9/16" jamb
- · Folding factory applied nail fin
- · Low E glass/argon gas
- · Limited Lifetime Warranty.





2- Panel

3- Panel



4- Panel

SWING DOOR STANDARD FEATURES

- Sentry™ multi point locking system
- North American designed dead bolt configuration with 90 degree thumb turn
- · Screen included on 2-Panel Single Swing Door (Not available on other swing doors)
- · Composite/aluminum sill with full thermal break
- · 4 9/16" jamb
- · Folding factory applied nail fin
- · Low E glass/argon gas
- · Limited Lifetime Warranty.



Single Swing Door



2-Panel Double Swing Door (both panels open)



2-Panel Single Swing Door (1-panel opens. 1-panel fixed)





CompositWood Door Options	Rolling Patio Door	Swing Door
6 9/16" or custom sized extension jambs	✓	✓
Plated metal hardware: bronze, brushed nickel or brushed brass	✓	✓
Triple glazing	✓	✓
3-Point stainless steel locking mechanism with 36" coverage	✓	
Grids: flat, contoured or SDLs (Simulated Divided Lites)	✓	✓
Exterior paint colors	✓	✓
Side Lites/Transoms	✓	✓
Side Lite Hardware		√
Traditional 1" decorative curbing	√	✓
3 1/2" flat casing	✓	√
Brickmold	√	√
Textured and decorative glass choices		√

2-Panel Single Swing Door


19

Affiliations & Awards

OUR MANUFACTURERS AFFILIATIONS

2019













OUR MANUFACTURE'S AWARDS

- · Certificate of Special Recognition for Product Innovation United States Senate
- · Citation from Senate of Pennsylvania for Product Innovation
- · Citation from Pennsylvania House of Representatives for Product Innovation
- · Manufacturing Excellence Award Pennsylvania Manufacturers' Association
- Northeast Pennsylvania Manufacturers & Employers Association Award for Excellence in Product Innovation
- National Association of Manufacturers Excellence Award for Product Innovation

Compositlood

Composituod[®]
Architectural Series Windows

1986

Interstate donated windows used in the Restoration Pavilion of the Statue of Liberty National Monument



Manufacturing Facility





3048 Barrow Drive Raleigh NC 27616

Phone 919.231.7181

Web www.homecraftwindows.com